

STATUS OF CLAIMS

1 to 20 incl.	Cancelled
21	Allowed and Currently Amended
22	Cancelled
23 to 31 incl.	Allowed
32	Cancelled
33 to 36	Allowed
37 and 38	Cancelled
39 and 40	Cancelled
41 and 42	Currently Amended
43	Cancelled
44	Currently Amended
45 and 46	Cancelled
47	Currently Amended
48 to 52 incl.	Cancelled
53	Currently Amended
54	Allowed
55	Cancelled
56	Currently Amended
57 to 63 incl.	Currently Amended

Cancel claims 39, 40, 43, 45, 46, 48 to 52 incl, and 55.

Please amend allowed claim 21 as follows:

21. (Amended) A filtering system comprising:

an inlet for receiving liquid to be filtered,

a reservoir fed by said inlet,

an outlet for receiving fluid that overflows said reservoir,

a plurality of adjacent filter cells fed by said reservoir,

each filter cell having:

(a) at least first and second layers of filtering material,

(b) one of which layers receives water from said reservoir,
and allows said water to pass to the other layer,

(c) the other of said layers having two vertical
[[horizontal]] sides one of which sides is adjacent said one layer,
and

(d) a drain adjacent the other said side of said other
layer, and

an outlet for filtered water fed by said drain,

said cells being circular and concentric.

Rewrite claims 41, 44, 47, 53, and 56 in independent form as
follows:

[[39.]] 41. (Amended) A filtering system comprising:

an inlet for receiving fluid to be filtered,

a reservoir fed by said inlet,

an outlet for receiving fluid that overflows said reservoir,

and

a filter cell fed by said reservoir,

said filter cell having:

(a) at least first and second layers of filtering material, said first and second layers having a common porous sidewall,

(b) the first of which layers receives fluid from said reservoir and allows said fluid to pass through said porous sidewall to the second layer,

(c) a drain, said second layer and said drain having a common porous sidewall,

said porous sidewalls comprising a material for preventing passage of filtering material therethrough while allowing passage of fluid therethrough[[.]].

~~41. A filtering system as defined in claim 39, in which there are at least two of said cells and in which one of said cells completely surrounds another cell in at least one plane.~~

[[39.]] 44. (Amended) A filtering system comprising:

an inlet for receiving fluid to be filtered,

a reservoir fed by said inlet,

an outlet for receiving fluid that overflows said reservoir,

and

a filter cell fed by said reservoir,

said filter cell having:

(a) at least first and second layers of filtering material, said first and second layers having a common porous sidewall,

(b) the first of which layers receives fluid from said reservoir and allows said fluid to pass through said porous sidewall to the second layer,

(c) a drain, said second layer and said drain having a common porous sidewall,

said porous sidewalls comprising a material for preventing passage of filtering material therethrough while allowing passage of fluid therethrough[[.]],

~~44. A filter cell as defined in claim 39, in which said drain surrounds said layers in at least one plane.~~

[[39.]] 47. (Amended) A filtering system comprising:
an inlet for receiving fluid to be filtered,
a reservoir fed by said inlet,
an outlet for receiving fluid that overflows said reservoir,
and

a filter cell fed by said reservoir,
said filter cell having:

(a) at least first and second layers of filtering material,
said first and second layers having a common porous sidewall,

(b) the first of which layers receives fluid from said reservoir and allows said fluid to pass through said porous sidewall to the second layer,

(c) a drain, said second layer and said drain having a common porous sidewall,

said porous sidewalls comprising a material for preventing passage of filtering material therethrough while allowing passage of fluid therethrough [[.]].

~~47. A filter cell as defined in claim 39, in which said layers and drain are not only cylindrical and concentric but and~~

said drain surrounds said layers in at least one plane.

[[49.]] 53. A filtering system, comprising:

a first filtering media,

a second filtering media that is different than said first media,

a first porous barrier that allows fluid, but not filtering media, to flow through it, separating said first and second filtering media,

a drain,

a second porous barrier separating said drain from said second filtering media, said second porous barrier allowing fluid to flow through it from said second filtering media to said drain but not allowing filtering media to pass through it, and

an inlet for feeding fluid to be filtered to said first filtering media [[.]].

~~53. A filtering system as defined in claim 49,~~ wherein said first filtering media has two sides,

said second filtering media being located adjacent both of said two sides,

said first porous barrier extending between said first and second media along both of said two sides.

[[49.]] 56. (Amended) A filtering system, comprising:
a first filtering media,
a second filtering media that is different than said first media,
a first porous barrier that allows fluid, but not filtering media, to flow through it, separating said first and second filtering media,
a drain,
a second porous barrier separating said drain from said second filtering media, said second porous barrier allowing fluid to flow through it from said second filtering media to said drain but not allowing filtering media to pass through it, and
an inlet for feeding fluid to be filtered to said first filtering media[[.]], and

~~55. A filtering system as defined in claim 43 comprising~~
a reservoir having a tray feeding fluid to be filtered to said first filtering media, said tray having an overflow outlet[[.]],

~~56. A filtering system as defined in claim 55,~~ in which
said first filtering media has two sides and said first porous barrier and said second filtering media extend along both of said sides, so that fluid in said first filtering media may pass out both of its sides to said second filtering media.

Amend claim 57 as follows:

57. (Amended) A filtering system comprising:

a first filtering media having two sides,

first and second porous barriers each of which has a first face and a second face,

said first face of said first barrier covering one of said sides and the first face of the second barrier covering said other said side,

a second filtering media having a first face covering the second face of said first barrier, said second filtering media having a second face,

~~a filtering media covering the second face of said second barrier,~~

a third porous barrier that receives fluid from and covers said second face of said second filtering media,

a first drain that receives fluid that has passed through said third porous barrier,

a third filtering media having one face covering the second face of said second porous barrier, said third filtering media having a second face,

a fourth porous barrier that receives fluid from and covers said second face of said third filtering media, and

a second drain that receives fluid that passes through said fourth porous barrier.